

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G09B 5/14</b>	<b>A2</b>	(11) International Publication Number: <b>WO 98/03953</b> (43) International Publication Date: 29 January 1998 (29.01.98)
<p>(21) International Application Number: PCT/CA97/00526</p> <p>(22) International Filing Date: 23 July 1997 (23.07.97)</p> <p>(30) Priority Data: 08/681,418 23 July 1996 (23.07.96) US</p> <p>(60) Parent Application or Grant (63) Related by Continuation US 08/681,418 (CIP) Filed on 23 July 1996 (23.07.96)</p> <p>(71) Applicant (for all designated States except US): AVALON INFORMATION TECHNOLOGIES INC. [CA/CA]; One Kenview Boulevard, Brampton, Ontario L6T 5E6 (CA).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): SIMMONS, Dale [CA/CA]; 709 Indian Road, Toronto, Ontario M6P 2C4 (CA).</p> <p>(74) Agent: DEETH WILLIAMS WALL; National Bank Building, Suite 400, 150 York Street, Toronto, Ontario M5H 3S5 (CA).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i></p>

(54) Title: METHOD OF INTERACTIVE COMPUTER BASED INSTRUCTION

## (57) Abstract

This invention relates to a method of combining interactive instruction over a computer network with distributed course materials for the provision of computer-based training to a geographically dispersed group of students. A method is disclosed for combining on-line transmission of audio or video instruction and related data with distributed training software and data to reduce the cost and increase the effectiveness of computer-based instruction. The present invention also discloses methods for providing immediate feedback from the students to the instructor and methods for enabling each student to record and replay all or part of the training session and to re-use the training materials in a variety of ways which provide continuing training benefits. During on-line sessions, commands from the instructor's workstation direct each student workstation to retrieve the desired data from the storage medium and display it on the student's screen. Compressed audio, consisting of the instructor's commentary and student comments, command data and screen interaction information may be transmitted over ordinary telephone lines. Each student's workstation is able to display the full multimedia training session, consisting of full-motion video, real-time audio, photos, graphics, text and real-time annotations and commentary from the instructor and other students, by combining the locally-stored multimedia presentation and the interactive, real-time data.

**BEST AVAILABLE COPY**

# **FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## METHOD OF INTERACTIVE COMPUTER BASED INSTRUCTION

This invention relates to a method of combining interactive instruction over a computer network with distributed course materials for the provision of cost-effective computer-based training to a geographically dispersed group of students.

Conventional classroom training has become prohibitively expensive for many geographically dispersed organizations, because travel and living expenses can absorb up to 70 percent of the training budget. As a result, many organizations have attempted to use current computer and communications technology to reduce training costs. There are two commonly-used training methods.

The first attempts to duplicate a classroom setting for a geographically dispersed group of students. An instructor at one location is connected to one or more groups of students at remote locations using audio or video teleconferencing facilities, which are widely available from local telephone companies and other service providers.

This method of instruction has the advantage of providing live two-way communication among geographically remote participants. However, these benefits come at a relatively high cost.

Each of the participants must be at a location which has the necessary teleconferencing equipment. This may involve travel, if the participant's normal workplace lacks the necessary facilities. The equipment is expensive to acquire and maintain. The participants must also be linked by high-speed communications lines (ISDN, T1 or the equivalent) in order to transmit the high volume of data needed for

effective communication. The charges for these communications lines are quite high, relative to ordinary telephone lines. As a result, this method of instruction is prohibitively expensive for many organizations.

The second method of computer-based training adopts many of the traditional methods of correspondence courses and other distance learning techniques, using computer technology to enhance the effectiveness of the training. Training materials are physically distributed on computer-readable media such as CD-ROMs. Each CD-ROM can typically hold all of the data required for a complete training course, including memory-intensive data like full-motion video. However, each student must  
10 work independently to learn the material. There is little or no opportunity to interact with an instructor or other students. This method of instruction has significant cost advantages over on-line training, but is not as effective for delivering consistent, timely training.

Various methods have been attempted to reduce the cost of on-line training. Typically, these involve decreasing the amount of information transmitted between the instructor and the students. However, each of these methods results in a significant decrease in the effectiveness of the training, because they interfere with essential communication between the students and the instructor.

The problem which the present invention seeks to address is to combine the  
20 effectiveness and immediacy of on-line training with the cost advantages of distance learning, in order to provide an inexpensive and effective method of interactive computer-based instruction.

According to the present invention, a method is disclosed for combining the on-line transmission of audio or video instruction and related data with distributed training software and data to reduce the cost and increase the effectiveness of computer based instruction. The present invention also discloses methods for providing immediate feedback from the students to the instructor regarding the content and presentation of the training materials, in order to permit the instructor to adapt the material to the specific audience for each session. The present invention also discloses methods for enabling each student to record and replay all or part of the training session and to re-use the training materials in a variety of ways which  
10 provide continuing training benefits.

This invention has the advantage that it requires only a standard personal computer, equipped with a CD-ROM drive and multimedia hardware and software, connected to an ordinary telephone line, rather than dedicated teleconferencing facilities. In this way, each student can participate in the training session at their normal workplace (or at home, if desired).

In one aspect of this invention, a method is provided for combining physically-delivered time-independent information and electronically-delivered time-sensitive information in which the time independent information is delivered to the geographically separated locations prior to the time-sensitive information, the time-  
20 sensitive information is simultaneously delivered from a single location to one or more individuals at geographically separated locations, and the said time-sensitive

information is combined in an interactive manner with the said time-independent information at the said geographically separated locations.

In another aspect of this invention, a computer program is used to combine physically-delivered time-independent information and electronically-delivered time-sensitive information, where the time independent information is delivered to the geographically separated locations prior to the time-sensitive information, the time-sensitive information is simultaneously delivered from a single location to one or more individuals at geographically separated locations, and the time-sensitive information is combined in an interactive manner with the time-independent information at the geographically separated locations.

In another aspect of this invention, a method is provided for delivering physically-delivered time-independent information and electronically-delivered time-sensitive information, the time-independent information being adapted to combine with electronically-delivered time-sensitive information, comprising the steps of delivering the time independent information to geographically separated locations prior to the time-sensitive information, simultaneously delivering the time sensitive information from a single location to one or more individuals at geographically separated locations, and combining the said time-sensitive information with the said time-independent information in an interactive manner at the said geographically separated locations.

In another aspect of this invention, a method is provided for delivering interactive instruction relating to time-independent information on computers at geographically

separated locations where a computer at a single location is linked with computers at one or more geographically separated locations, time-sensitive information is delivered from the computer at the said single location, the said time-sensitive information is used with the time-independent information at the geographically separated locations by the computers at the said geographically separated locations, data generated at the said geographically separated locations is received and analyzed at the said single location, and a response is delivered to the said geographically separated locations.

The following description and attached figures show the preferred embodiment of this invention.

The invention provides a method of interactive computer-based training in a "hybrid" mode, with multimedia content stored on a CD-ROM, "ZIP" drive or other suitable storage medium and delivered to the remote student locations.

During on-line sessions, commands from the instructor station direct each student station to retrieve the desired data from the storage medium and display it on the student's screen. Compressed audio, consisting of the instructor's commentary and student comments, command data and screen interaction information are

10 transmitted over a communication link in real time throughout the on-line session.

Unlike other video conferencing or distance learning systems, the interactive data can be transmitted over ordinary telephone lines which are available in virtually every home and workplace; high-speed, dedicated voice or data communications lines are not required, but may be used.

Each student's workstation is able to display the full multimedia training session, consisting of full-motion video, real-time audio, photos, graphics, text and real-time annotations and commentary from the instructor and other students, by combining the locally-stored multimedia presentation and the interactive, real-time data.

Each of the individual on-line and locally stored components of the training session  
20 are combined on the computer screen display of each participant. The display includes a course control window, a presentation window, a notes window and a status window. The display also includes a series of context-sensitive control icons.



Figure 1 shows the overall process flow for the preferred embodiment of this method of computer-based instruction. Figure 1(a) shows the course design module, which enables the instructor to design the instruction session, prepare questions and answers, and design presentation slides and overlays. Figures 1(b), 1(c) and 1(d) show the components of the course presentation process.

Figures 2 through 14 show details of the screen displays used in the preferred embodiment of this invention.

Figure 2 shows the instructor station display and controls. The display comprises a menu bar 1, a course control window 3 with drop-down menu list 4, a series of  
10 interaction icons 6, a presentation window 8 with context-specific command icons 9, a notes window 11, a class status window 13, class feedback icons 15, on-line status indicator 19, and current time display 24.

Figure 3 shows the student station displays and controls. The student display comprises a menu bar 1, a course control window 3 with drop-down menu list 4, a series of interaction icons 6, a presentation window 8 with context-specific command icons 9, a notes window 11, feedback icons 15, on-line status indicator 19, and current time display 20.

Each student's display also includes a number of commands, which the student may activate by using a keyboard, mouse or other input device to select a command from  
20 the menu bar 1 or to point to the applicable icon. For example, these commands may include a signal to the instructor that the student wishes to ask a question or make a comment, that the student does not understand a particular aspect of the

presentation or that the student feels that the presentation is moving too slowly or too quickly. These commands may be initiated by selecting one of the feedback icons 15.

An audiographics conferencing capability allows full application sharing between the instructor and students. The instructor controls the content of the session, but may use the interaction icons 6 to permit any student to make comments on the presentation, which comments are transmitted to each of the other participants.

Student comments may be made verbally, using the two-way audio facilities, or in writing, through typed or handwritten comments which appear in the presentation  
10 window 8 or the notes window 11 of each participant's screen. The instructor may also choose to communicate with each student individually, to provide additional information or guidance during on-line assignments. Interactions between the instructor and an individual student may be kept private from other students or may be shared with the rest of the class, at the option of the instructor or the student, through the use of the interaction icons 6.

Figures 4, 5 and 6 show examples of the audio-visual and graphical information which may be selected from the course control window 3 and displayed in the presentation window 8. The instructor's window includes command icons 22 to control the presentation of video and audio files. Graphical annotation 24, overlay  
20 33 and whiteboard 26 features permit the instructor or students to add more detailed information to a presentation. The presentation window 8 is scaleable to allow several features to be used simultaneously. When the whiteboard 26 function is

selected, the slide which was previously displayed is reduced in size and remains on the screen as a reference 28. Either the instructor or the student may control the size and positioning of the reference slide 28.

Multiple levels of overlays may be used to annotate graphics or display context-sensitive labels 30, as shown in Figure 7, or to demonstrate a multi-step process, overlay or peel away segments to show different levels of an object or steps in a process 33, as shown in Figures 8, 12, 13 and 14. Overlays 33 may be added or removed using a context-sensitive control window 35. Overlays 33 may also be used to time the delivery of an audio file to provide additional information or add  
10 emphasis. The whiteboard 26 feature may be used to highlight or explain information shown in the presentation window. Text may be displayed in the presentation window 8 and particular words or phrases may be emphasized using overlays of different colours and thickness 31. The emphasis may be saved by the instructor and included in subsequent sessions, or by an individual student in a personal study file.

The instructor may test student comprehension by asking periodic questions during the training session. Questions appear in the presentation window 8 and may be in the form of multiple choice, drag-and-drop matching, fill in the blanks, or true/false.

Figure 9 shows an example of the use of labels 30 which are filled in by the student.

20 Figure 10 shows the use of true or false questions, which the student answers by selecting the appropriate response icon 32 displayed in the presentation window 8.

Similar icons may be used for multiple choice questions. Questions may be

displayed individually, in predetermined or random order, or may be displayed together as a test. During a test, the instructor may enable or disable specific elements of the database to provide either "open-book" testing, in which the student may search specified material for required information, or "closed-book" testing, in which the student must answer the questions from memory.

The instructor may use the status window 13 to monitor the progress of an individual student or the class as a whole. In Figure 9 the status window 13 has been set to show the percentage of class members who have responded to each question.

Student responses may be compiled and displayed on the instructor's screen immediately. They may also be saved for further analysis by the instructor. This feature provides immediate feedback to the instructor, who can adjust the presentation to provide more detailed information or repeat key points, as required. At the instructor's option, class and individual performance may be displayed to all students, or individual results may be shown to each student.

The class status window 13 and feedback icons 15 allow the instructor to monitor the status of the class. Tabs 14 at the top of the status window 13 are used to select the information to be displayed. It is preferred that bar graph displays are used to visually convey class status information to the instructor. The "confusion" and "pace" displays allow the instructor to monitor the effectiveness of the presentation. An audio or video alarm, with user-adjustable parameters, may be provided to alert the instructor when the class status measures reach a specified

threshold. For example, the alarm could be set to be triggered when more than 33 percent of the class members indicate the pace is too slow or too fast.

The instructor may obtain more detailed information about the feedback provided by individual students by selecting the student listing 38 from the drop down menu 4 of the course control window 3. The specific information displayed in the student listing 38 may be varied by selecting one of the class status icons 39, as shown in Figures 12, 13 and 14.

The instructor may use the computer keyboard to make presentation notes, which are displayed in the notes window 11 on the instructor's screen. Each student may use the computer keyboard to make private notes and comments which are displayed only in the notes window 11 on the student's screen and which are saved for later reference.

Annotations 24 may be made directly on the information in the presentation window 8, using a touch-sensitive display screen or a graphical tablet and a pointing device adapted for that purpose. Alternatively, annotations 24 may be made using a pointing device such as a mouse. Annotations 24 may be made privately by either the instructor or the students or may be displayed to the entire class.

All or part of a training session may be recorded for later review or distribution by either the instructor or the student. The session may be recorded by saving on a computer hard drive or other suitable storage media at the student's location the on-line data and the instructions for combining that data with the previously distributed pre-recorded data. Using the command menu 1, each student station can

automatically record the entire session, including audio components, presentation window commands and real-time annotations, class questions and instructor responses, and any other interactive elements of the session. The student can set his or her workstation in advance to record the session if the student is not present at the scheduled training time. The student can replay the recorded training session at any convenient time or times.

Alternatively, the training session may be recorded at the instructor's location and the recorded session may be distributed to other members of the organization who may not have access to communication facilities or are otherwise unable to  
10 participate in the on-line sessions. These distributed training sessions may be used as stand-alone, self-paced training modules. The student may interact with the recorded session in the same manner as an on-line session.

Students may also record specific parts of a training session. This feature may be used if the student does not fully understand a particular part of the presentation, but does not wish to stop the presentation to ask a question or request clarification. It may also be used if the student wishes to record a personal note or comment or to record a comment or annotation made by the instructor or another student.

When recording all or part of a training session, the instructor or the student may assign one or more keywords to the training session or to specific portions of the  
20 session. This allows information associated with specific keywords to be saved and indexed in one or more databases, to be retrieved at a later time, regardless of where the material is stored. This feature allows specific information to be retrieved

without the necessity of creating separate files to store and retrieve specific audio, video or text data. Students may "pause" the on-line presentation, while continuing to record the session, in order to attend to other related or unrelated tasks during the training session. The student may disconnect from the session at any time. On-line status icons 19 on the instructor's screen shows the number of students who have paused the presentation and the number of students who have disconnected from the session.

One of the advantages of this invention is that it uses widely-available personal computers and computer programs. In its preferred embodiment, this method uses

- 10 (i) an instructor station consisting of a 100mHz or faster Pentium computer, equipped with a CD-ROM drive, sound card, graphics tablet, audio headset and 28K modem; and (ii) student stations with a 66mHz or faster 486 class personal computer, equipped with a CD-ROM drive, sound card, graphics tablet, audio headset (or speakers and microphone) and 14K modem. In its preferred embodiment, each of the computers uses the Microsoft "Windows 95" operating system. The software used to implement the method uses the TCP/IP communications protocol. It will work over standard telephone lines; it will also work over local area networks (LANs), wide area networks (WANs), ISDN telephone lines and the Internet.

**Claims**

I claim:

1. A method of combining physically-delivered time-independent information and electronically-delivered time-sensitive information in which:
  - a) the time independent information is delivered to geographically separated locations prior to the time-sensitive information;
  - b) the time-sensitive information is simultaneously delivered from a single location to one or more individuals at the said geographically separated locations; and
  - 10 c) the said time-sensitive information is combined in an interactive manner with the said time-independent information at the said geographically separated locations.
2. A method, as claimed in claim 1, in which the combination of the said information is controlled by a person at the location from which the electronically-delivered information is sent.
3. A method, as claimed in claim 1, in which the combination of the said information is controlled interactively by one or more persons at the geographically separated locations.
4. A method, as claimed in claim 1, in which the information to be combined  
20 comprises one or more of the following types of electronic data:



- a) live or pre-recorded audio;
  - b) live or pre-recorded video;
  - c) still photographs or drawings;
  - d) animated graphics;
  - e) alpha-numeric text; and
  - f) hand-written annotations.
5. A method, as claimed in claim 4, in which the data elements are simultaneously presented in one or more graphical "windows" which may be independently configured by each person receiving the information.
- 10 6. A method, as claimed in claim 2, in which the person controlling the combination of the information is able to temporarily transfer control to a person at one of the geographically remote locations.
7. A method, as claimed in claim 2, in which the person controlling the combination of the information is able to alter the manner in which the information is combined in response to data inputs from the persons at the geographically remote locations.
8. A method, as claimed in claim 7, in which the data inputs comprise one or more of the following:
- a) individual and collective comprehension levels;

- b) individual and group feedback on the speed of delivery of the information;
- c) individual requests for further information; and
- d) individual requests for a transfer of control over the combination of the information.


9. A method, as claimed in claim 1, in which the combination of information may be recorded in whole or in part by the person controlling the combination or by any individual at one or more of the said geographically separated locations, by saving the data elements in the permanent memory of a personal  
10 computer, and the saved information may be retrieved, reviewed, altered and re-saved at a later time.


10. A system for combining physically-delivered time-independent information and electronically-delivered time-sensitive information in which:


- a) the time independent information is delivered to the geographically separated locations prior to the time-sensitive information;
- b) the time-sensitive information is simultaneously delivered from a single location to one or more individuals at geographically separated locations; and
- c) the said time-sensitive information is combined in an interactive  
20 manner with the said time-independent information at the said geographically separated locations.


11. A method of providing physically-delivered time-independent information and electronically-delivered time-sensitive information, the time-independent information being adapted to combine with electronically-delivered time-sensitive information, comprising the steps of:
- a) delivering the time independent information to geographically separated locations prior to the time-sensitive information;
  - b) simultaneously delivering the time sensitive information from a single location to one or more individuals at geographically separated locations; and
  - 10 c) combining the said time-sensitive information with the said time-independent information in an interactive manner at the said geographically separated locations.
12. A method, as claimed in claim 11, in which the combination of the said information is controlled by a person at the location from which the electronically-delivered information is sent.
13. A method, as claimed in claim 11, in which the combination of the said information is controlled interactively by one or more persons at the geographically separated locations.
14. A method of providing interactive instruction relating to time-independent  
20 information on computers at geographically separated locations, comprising:

- a) linking a computer at one location with computers at one or more geographically separated locations;
- b) providing time-sensitive information from the computer at one location to computers at geographically separated locations;
- c) combining the time-independent information with the time-sensitive information at the geographically separated locations by the use of computers at those locations; and
- d) receiving from the geographically separated locations data generated at those locations, analyzing that data at the single location and responding to it.

FIG.1(a)



FIG.1(c)

FIG. 1(d)








FIG. 3



FIG. 4




FIG. 5

☐ Bright Light Presentation

Course Classroom Designer Preferences Configuration Tools

12 of 25

**Whiteboard**

```

graph TD
    NewCo[New Co.] -- "Preferred Shares" --> SACo[SA Coffee Distribution]
    NewCo -- "40% Public" --> NACo[NA Coffee Co.]
    NewCo -- "Wholly Owned Subsidiary" --> GCo[Great China Tea Co.]
    NACo --> ImportCo[Import Co.]
    NACo --> TransportCo[Transport Co.]
    NACo --> RetailDist[Retail Distribution]
        
```

**Whiteboard Example**

After whiteboard function is called, slide previously displayed is reduced (slide reference) and remains on screen - can be repositioned as desired.

**Slide Reference**

Major Producers of Coffee 1988

**Show by:**

Course Questions

Confusion Pace Results

Slide #

2 4 6 8 10

15 25 50 75

9 6 6 6 8

17 2 1

On Line

12:49 PM

FIG. 6




FIG. 7

Bright Light Presentation

Course Classroom Designer Preferences Configuration Tools

Attendee	H...	P...	Cont
Caroline	Yes		
Eric Sol	Yes		
John Ber	Yes		
Mark La	Yes		
John Ch	Yes	Yes	
Kolyan	Yes	Fast	Yes
Ken Lin	Yes	Fast	Yes
Paul Pr	Yes	Fast	Yes
Dale Si	Yes	Fast	Yes
Brett Ho	No	Fast	Yes
Colin D	No	Fast	Yes
Brian Ha	No	Fast	
Richard	No	Fast	
Bijjana I	No	Fast	

Show by:

?

1st

2nd

Course

Class

Questions

Confusion

Pace

Results

11 of 25

Overlays - Example

GOLGI APPARATUS

Discovered in late 1800's by Camilla Golgi

Fast

1.

Slow

Slide #

9

6

6

8

17

2

1

On Line

3:02 PM

8  
F/G.




FIG. 9



**Bright Light Presentation**

**Course Classroom Designer Preferences Configuration Tools**

☐ Bright Light Demo Questions

- ? Q1 Multiple Choice w/ Graph
- ? Q2 Fill in the Blanks
- ? Q3 Multiple Choice
- ? Q4 Photo Label - True/False

To:

☐ with Feedback

Course	Class	Questions
Confusion	Pace	Results

Slide #

**Question**

Amino Acid Molecules are good for brain power

☐ True ☐ False

**Question - Photo Label**

Answer the following questions by clicking on the most appropriate answer(s).

4 of 4

On Line 2:48PM

FIG. 10




FIG. 11



**Bright Light Presentation**

Course Classroom Designer Preferences Configuration Tools

★ Kallyan Gupta  
 ★ Ken Lin  
 ★ Paul Procyk  
 ★ Dale Simmons  
 ★ Brett Holder  
 ★ Colin Davidson

11 of 25

Overlays - Example

**GOLGI APPARATUS**

- Discovered in late 1800's by Camilla Golgi

Show by:

☐ U ☐ ? ☐ ? ☐ ? ☐ ?

Course Confusion

Class Pace

Questions Results

Slide #

Fast 1. Slow

2 4 6 8 10

9 6 6 6 8

On Line

1

2

17

6:07 PM

FIG. 13

**Bright Light Presentation**

Course Classroom Designer Preferences Configuration Tools

Attendee	H...	P...	Cont
Caroline	Yes		
Eric Sol	Yes		
John Ber	Yes		
Mark La	Yes	Yes	
John Ch	Yes	Yes	Yes
Kolyan	Yes	Fast	Yes
Ken Lin	Yes	Fast	Yes
Paul Pr	Yes	Fast	Yes
Dale Si	Yes	Fast	Yes
Brett Ho	No	Fast	Yes
Colin D	No	Fast	Yes
Brian Ha	No	Fast	
Richard	No	Fast	
Blifiana I	No	Fast	

Show by: 12 ? 100 100

Course	Class	Pace	Questions	Results
Confusion				

11 of 25

**GOLGI APPARATUS**

- Discovered in late 1800's by Camilla Golgi

On Line 2:48PM

FIG. 14

THIS PAGE BLANK (USPTO)

# INTERNATIONAL SEARCH REPORT

Inter. Appl. No. CA 97/00526

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 G09B5/14 G09B7/04

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 G09B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X	US 4 682 957 A (YOUNG) 28 July 1987  see abstract see column 2, line 5 - column 3, line 27 see column 3, line 56 - column 4, line 46 see column 11, line 12 - column 12, line 20; figures 1,8,9  ---	1,2, 10-12,14
X	US 4 785 472 A (SHAPIRO) 15 November 1988  see abstract see column 1, line 37-48 see column 2, line 11 - column 3, line 54 see column 7, line 20-54; figure 1  ---  -/--	1,2, 10-12,14

☒ Further documents are listed in the continuation of box C

☒ Patent family members are listed in annex.

### \* Special categories of cited documents .

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*&\* document member of the same patent family

Date of the actual completion of the international search

6 November 1997

Date of mailing of the international search report

30 -12- 1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel (+31-70) 340-2040, Tx 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Beitner, M

# INTERNATIONAL SEARCH REPORT

Inter. Jnal Appl. In No

PCT/CA 97/00526

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A X	<p>US 5 437 555 A (ZIV-EL) 1 August 1995</p> <p>see abstract</p> <p>see column 1, line 25 - column 2, line 44</p> <p>see column 3, line 31-48</p> <p>see column 8, line 48 - column 9, line 57</p> <p>see column 10, line 31 - column 11, line 44</p> <p>see column 13, line 21-50</p> <p>see column 15, line 49 - column 16, line 24; figure 6</p> <p>---</p>	<p>1-4,7-9</p> <p>10-12,14</p>
A	<p>WO 96 21212 A (TELIDE S.A.) 11 July 1996</p> <p>see abstract</p> <p>see page 3, line 1-6</p> <p>see page 4, line 1-27</p> <p>see page 5, line 5 - page 6, line 35</p> <p>see page 7, line 22 - page 8, line 5</p> <p>see page 9, line 1 - page 10, line 34;</p> <p>figures 1,2A,2B</p> <p>-----</p>	<p>1-4,6,7,</p> <p>11-14</p>



# INTERNATIONAL SEARCH REPORT

International Publication No  
/CA 97/00526

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4682957 A	28-07-87	NONE	
US 4785472 A	15-11-88	AU 1789888 A CA 1303847 A WO 8809096 A	06-12-88 23-06-92 17-11-88
US 5437555 A	01-08-95	US 5263869 A	23-11-93
WO 9621212 A	11-07-96	EP 0800695 A	15-10-97

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**